

Votre contact service client

nutrition@eurofinsfr.com

+332 72 25 62 70

Du lundi au vendredi de 9H00-12H30 & 13H30-18H00

www.eurofins.com

Echantillon n° : 968-2025-00093036

Commande n° : 968-2025-020165

Code client : A00867178QWM

Date de réception : 07/06/2025

Date de mise en analyse : 10/06/2025

Date de fin d'analyse : 12/06/2025

Température de réception : Température ambiante

SOCIETE BLUE B TECHNOLOGIES

David BERTRANT

Moulin du Mizotier

45240 LIGNY LE RIBAUT

France

Destinataire de copie : S. OUICHOU (SOCIETE BLUE B TECHNOLOGIES) ; A. LEVESQUE (SOCIETE BLUE B TECHNOLOGIES) ; C. REPAC (SOCIETE BLUE B TECHNOLOGIES)

Informations fournies par le client**Référence Client : LB01- Myrtille**

Votre commande : ANALYSE MYRTILLE SCREENING PARCELLE B

N° lot : AS27

N° de lot : AS27

DLC/DLUO : 04/07/2024

Libellé marque : MYRILLE DE SOLOGNE

Déclaration de conformité**Chimie****Valeurs Guide**

Sur la base des analyses réalisées et des valeurs de référence en notre possession (normes, codes de pratique, littérature scientifique, résultats mesurés sur des produits de référence, etc.) :

Les paramètres mesurés et présentés sur ce rapport d'essais sont en accord avec les valeurs guides pour ce produit. [Règlement (CE) n°396/2005]

Commentaires relatifs à la déclaration de conformité :

Déclaration de conformité non couverte par l'accréditation

La conclusion / déclaration de conformité prend seulement en compte les résultats des paramètres pour lesquels un critère est édité.

-Pour la microbiologie des aliments, la microbiologie et la chimie des eaux : Pour déclarer ou non la conformité à la spécification, il n'a pas été tenu explicitement compte de l'incertitude associée au résultat.

-Pour la chimie des aliments : Pour déclarer ou non la conformité, l'incertitude associée au résultat a été ajoutée ou retranchée de façon à obtenir sans conteste un résultat opposable aux spécifications ou à la réglementation en vigueur afin de privilégier le risque client. Elle n'a pas été prise en compte dans le cadre des référentiels qui intègrent déjà les incertitudes de mesures ou sur demande explicite du client.

Code	Paramètres [Méthode]	Résultats
Portion analytique		
Pesticides		
AA36K	Screening Pesticides Quechers GC-MS/MS [Méthode interne, GC/MS/MS]	
	Substances analysées ⁽¹⁾	< LOQ
AA986	Screening Pesticides Quechers LC-MS/MS 0.01mg/kg [Méthode interne, LC/MS/MS]	
	Substances analysées ⁽¹⁾	< LOQ

Notes explicatives

(1) La détermination a été sous-traitée à Eurofins Laboratoire Contaminants Alimentaires Nantes (FR), France

Pour les analyses de résidus de pesticides, si le laboratoire n'est pas en mesure d'analyser la somme complète des composés inclus dans la définition Européenne du résidu, la somme n'est pas présente sur le rapport. Dans ce cas, seules les molécules analysées figurent sur le rapport.

Ce document ne concerne que l'objet soumis à l'essai ; sa reproduction n'est autorisée que sous sa forme intégrale.

Les essais et rapports sont réalisés conformément à nos conditions générales de vente disponibles sur demande.

Les essais sont identifiés par un code de 5 caractères dont la description précise est disponible sur demande.

Le laboratoire est exonéré de responsabilité dans le cas d'informations fournies par le client et pouvant affecter la validité des résultats.

Dans le cas où le laboratoire n'est pas en charge de l'étape d'échantillonnage, les résultats s'appliquent à l'échantillon tel que reçu ou pris en charge.

Nantes, 12/06/2025

Nicole Urrea +33 (0)251825546

Echantillon n°

968-2025-00093036

Liste des substances analysées

RL = Reporting Limit / LOQ: Limite de quantification

AA36K Screening Pesticides Quechers GC-MS/MS

Substance	RL / LOQ [mg/kg]
1,4-dimethylnaphtalene	0.01
4,4-Dibromobenzophénone	0.01
Acrinathrine	0.01
Aldrine	0.01
Antraquinone	0.01
(TV) Bénalaxyl	0.01
(TV) Bifenthrine	0.01
(TV) Butachlore	0.01
Captan (somme)	0.01
Chlordane (somme)	0.01
(TV) Chlorfenapyr	0.01
Chlorothalonil	0.1
Chlorthal diméthyle	0.01
Clomazone	0.01
Cyanophos	0.01
Cyperméthrine (somme des isomères)	0.01
DDD, o,p'	0.01
DDT (total)	0.01
Deltaméthrine	0.01
Desmetryne	0.01
Dichlofluanide	0.1
Diclobutrazole	0.01
Dicofol, p,p-	0.01
(TV) Diméthénamide	0.01
Endosulfan (total)	0.01
(TV) Etaconazole	0.01
Ethoprophos	0.01
(TV) Etoxazole	0.01
Famoxadone	0.01
Fenpropathrine	0.01
Fenvalerate (RS-/SR-Isomère)	0.01
Fipronil (total)	0.01
Fluazifop-P-butyl	0.01
Fluotrimazole	0.01
Flutolanil	0.01
Folpet (somme)	0.02
HCH Alpha	0.01
HCH, gamma - Lindane	0.01
Heptachlore	0.01
Hexachlorobenzène (HCB)	0.01
Isocarbofos	0.01
Isoprothiolane	0.01
Lénacile	0.01
Mepanipyrim	0.01
Méthacrifos	0.01
Métribuzine	0.01
Nitrapyrine	0.01
Norflurazon	0.01
Pacloutrazole	0.01
Pentachloroanisole (PCA)	0.01
Phorate	0.01
(TV) Picolinafene	0.01
Pirimiphos-méthyl	0.01
Prométryne	0.01
Propéamphos	0.01
Pyrazophos	0.01
Pyrifénos	0.01
Quintozène (somme)	0.01
(TV) Sebutylazine	0.01
Simazine	0.01
Tecnazène	0.01
Terbufos	0.01
Tetrachlorvinphos	0.01
Thiométon	0.01
Tolyfluanide (Somme)	0.02
Triazamate	0.01
Triticonazole	0.01

Substance	RL / LOQ [mg/kg]
2,6-Dichlorobenzamide	0.01
(TV) Acetochlor	0.01
(TV) Alachlore	0.01
Aliéthrine (Dépalléthrine)	0.02
(TV) Atrazine	0.01
Benfluraline	0.01
Biphényl	0.01
Butafenacile	0.01
Captane	0.05
Chlordane-cis	0.01
(TV) Chlorfenvinphos	0.01
Chlorpyrifos (-ethyl)	0.01
Chlozolinate	0.01
Cloquintocet-mexyl	0.01
(TV) Cyflufenamide	0.01
Cyperméthrine-alpha	0.01
DDE, o,p'	0.01
DDT,o,p'	0.01
Desethyl-atrazine	0.01
Diazinon	0.01
Dichloran	0.01
Dicofol (total)	0.01
Dieldrine	0.01
Dimethylaminosulphotoluidide (DMST)	0.01
Endosulfan alpha	0.01
Ethalfuraline	0.01
Ethoxyquine	0.01
Etridiazole	0.01
(TV) Fenamidone	0.01
Fenthion	0.01
Fenvalerate (Somme des isomères)	0.01
Fipronil sulfon	0.01
Flucythrinate	0.01
Fluquinconazole	0.01
Flutriafol	0.01
Fonofos	0.01
HCH Béta	0.01
HCH-epsilon	0.01
Heptachlore époxyde cis	0.01
(TV) Hexazinone	0.01
(TV) Isofenphos	0.01
(TV) Isoxadifen-éthyle	0.01
(TV) Mecarbam	0.01
Mepronil	0.01
Méthoxychlore	0.01
Mévinphos (somme des isomères)	0.01
Nitrofen	0.01
(TV) Oxadiazon	0.01
Parathion-méthyl	0.01
Perméthrine (somme des isomères)	0.01
Phosphamidon	0.01
Picoxystrobin	0.01
(TV) Procymidone	0.01
Propachlore	0.01
Propyzamide	0.01
Pyridalyle	0.01
Quinalphos	0.01
Quizalofop-P-ethyl	0.1
Silafluofen	0.01
Spiromesifene	0.01
Téfluthrine	0.01
(TV) Terbutylazine	0.01
(TV) Tétradifon	0.01
THPI (Tetrahydrophthalimide; dégradation)	0.01
Captane	0.01
Transfluthrin	0.01
(TV) Trifluzimol	0.01
Uniconazole	0.01

Substance	RL / LOQ [mg/kg]
2-Phénylphénol	0.01
Acclonifen	0.01
Aldrin/ Dieldrin (Somme)	0.01
Amétryne	0.01
Azinphos-ethyl	0.01
Béta-endosulfan	0.01
(TV) Bromopropylate	0.01
Butraline	0.01
Carbophenothion	0.01
Chlordane-gamma (=béta=trans)	0.01
Chlorobenzilat/Chloropropylat	0.01
Chlorpyrifos-méthyl	0.01
Clodinafop-propargyl	0.1
Cyanazine	0.01
Cyfluthrine	0.01
DDD, o,p	0.01
DDE, o,p'	0.01
DDT,p,p	0.01
(TV) Deséthyl-terbutylazine	0.01
Dichlobénil	0.01
Dichlorvos	0.01
Dicofol, o,p-	0.01
(TV) Diflufenican	0.01
Edifenphos	0.01
Endosulfan sulfate	0.01
(TV) Ethion	0.01
Ethyl parathion	0.01
Etrimphos	0.01
Fénitrothion	0.01
Fenvalerate (RR-/SS-Isomère)	0.01
Fipronil	0.01
Flamprop-méthyl	0.01
Flumioxazine	0.01
Flurochloridone	0.01
Folpel (Folpet)	0.02
Formothion	0.01
HCH Delta	0.01
Heptachlor (somme)	0.01
Heptachlore époxyde trans	0.01
IBP (Iprobenfos)	0.01
(TV) Isofenphos-Méthyl	0.01
Lambda cyhalothrine (+ gamma-Cyhalothrin)	0.01
Mefenpyr-diéthyl	0.01
(TV) Métaachlore	0.01
(TV) Metrafenone	0.01
(TV) Napropamide	0.01
Nitrothal-isopropyle	0.01
Oxyfluorène	0.01
Pentachloroaniline	0.01
Phenthoate	0.01
Phthalimide (PI)	0.01
Pirimiphos-ethyl	0.01
Profenofos	0.01
(TV) Propazine	0.01
Prothiophos	0.01
Pyridaphenthion	0.01
Quintozène	0.01
S 421	0.01
Silthiofame	0.01
Tau-fluvalinate	0.01
Terbacile	0.01
Terbutryne	0.01
Tétraméthrine	0.01
Tolyfluanide	0.02
Triallate	0.01
Trifluraline	0.01
Vinclozoline	0.01

AA986 Screening Pesticides Quechers LC-MS/MS 0.01mg/kg

Substance	RL / LOQ [mg/kg]
1-naphtylacétamide	0.01
(TV) 2,4-D	0.01
2,4'-Formoxylidide (métabolite de l'Amitraze)	0.01
(TV) 2,4-MCPP (mécoprop)	0.01
(TV) 4-Bromo-2-chlorophénol	0.01
(TV) 6-Benzyladenine	0.01
Abamectine (Somme)	0.01
Acétamipride	0.01
Acide naphthylacétique	0.01
Alanycarb	0.05
(TV) Ametoctradin	0.01
Amisulbrone	0.01
Anilofos	0.01
Atrazine déisopropyl	0.01
Azaconazole	0.01
Azinphos-méthyl	0.01
(TV) Bénalaxyl	0.01

Substance	RL / LOQ [mg/kg]
1-Naphtylacétamide/1- Acide Naphthylacétique	0.01
(cal. comme acide 1-Naphtylacétique)	0.01
2,4-DB	0.01
2,4-MCPA	0.01
(TV) 2,6-Dichlorobenzamide	0.01
(TV) 4-bromophénylurée	0.01
8-Hydroxy-Bentazone	0.03
Acéphate	0.05
Acibenzolar-s-méthyl	0.01
(TV) Acifluorfen	0.01
Aldicarb sulfone	0.01
(TV) Amidosulfuron	0.01
Amitraze (somme)	0.01
Asulam	0.01
Avermectine B1a	0.01
Azadirachtine	0.1
Azoxyclofen	0.01
Bendiocarbe	0.01

Substance	RL / LOQ [mg/kg]
2,4,5-T	0.01
2,4-DP (dichlorprop)	0.01
2,4-MCPB	0.01
3-Hydroxycarbofurane	0.01
4-CPA (Acide 4-ChlorophenoxyAcétique)	0.01
8-Hydroxyquinoline	0.02
Acequinocyl	0.05
Acide (2-naphtyloxy)acétique	0.01
(TV) Acrinathrine	0.01
Aldicarb	0.01
Aminocarbe	0.01
Amitraze	0.01
Atrazine	0.01
Avermectine B1b	0.01
Azaméthiphos	0.01
Azoxystrobin	0.01
Benfuracarbe	0.05

Echantillon n°

968-2025-00093036

Liste des substances analysées

RL = Reporting Limit / LOQ: Limite de quantification

AA986 Screening Pesticides Quechers LC-MS/MS 0.01mg/kg

Substance	RL / LOQ [mg/kg]
(TV) Benodanil	0.01
Bentazone	0.01
Benthiavalicarb-isopropyl	0.01
(TV) Bifentanol	0.01
(TV) Bromoxynil	0.01
Bromuconazole (trans-Isomer)	0.01
BTS 44595	0.01
Butocarboxim	0.01
(TV) Butoxyde de Pipéronyle (PBO)	0.01
Carbaryl	0.01
(TV) Carbétamide	0.01
Carboxine	0.01
Chlorantraniliprole	0.01
Chlordécone	0.01
(TV) Chloridazon	0.01
Chlorprophame	0.01
Chromafenozide	0.01
Cinidon-éthyle	0.01
(TV) Clethodim/Sethoxydim (Somme)	0.01
Clomazone	0.01
Clopyralide	0.02
(TV) Crimidine	0.01
Cyazofamide	0.01
(TV) Cyflufenamide	0.01
(TV) Cyproconazole	0.01
Dazomet	0.01
Demeton-S-methyl-sulfone	0.01
(TV) Diallat	0.01
Dichlofenthion	0.01
Dicrotophos	0.01
Difénoconazole	0.01
Diméfuron	0.01
Diméthoate	0.01
Dimoxystrobine	0.01
(TV) Dinoseb	0.01
Dioxacarb	0.01
(TV) Disulfoton (total)	0.01
Dithianon	0.01
(TV) Dodémorphe	0.01
EPN	0.01
Ethiofencarbe	0.01
Ethirimol	0.01
Etofenprox	0.01
Fenamidone	0.01
Fenamiphos-sulfone	0.01
(TV) Fénazaquine	0.01
Fenhexamid	0.01
(TV) Fenoxaprop-P	0.01
(TV) Fenpropiidol	0.01
Fenpyroximate	0.01
Fenthion (total)	0.01
Fenthion-PS-Sulfoxid	0.01
Fipronil	0.01
Fipronil sulfon	0.01
Fonicamide	0.01
Fluazifop-P	0.01
(TV) Fluazolate	0.01
Flucycloxuron	0.01
Flufenoxuron	0.01
Fluopicolide	0.01
Flupyradifurone	0.01
Fluroxypyr (somme)	0.01
Flurtamone	0.01
Flutolanil	0.01
(TV) FM-6-1 (métabolite du Triflumizole)	0.01
Formetanate	0.01
(TV) Furalaxyl	0.01
(TV) Haloxyfop	0.01
(TV) Hexaflumuron	0.01
Imazalile	0.01
(TV) Imibenconazole	0.01
Indoxacarbe	0.01
Iprodione	0.01
Isofétamide	0.01
Isoprazam	0.01
Isoxaflutole	0.01
Isoxathion	0.01
(TV) Kresoxime-méthyl	0.01
(TV) Lufénuron	0.01
Malathion (total)	0.01
MCPA/MCPB (total)	0.01
Meptyldinocap	0.01
(TV) Metaflumizone	0.01
Metamitrone	0.01
Métazachlore acide éthanesulfonique	0.01
(TV) Methabenzthiazuron	0.01
Methiocarb (incl. -sulfone, -sulfoxyde)	0.01
Méthiocarbe	0.01
(TV) Metobromuron	0.01
(TV) Métosulame	0.01
(TV) Metsulfuron méthyle	0.01

Substance	RL / LOQ [mg/kg]
Benoxacor	0.01
Bentazone (total, après hydrolyse)	0.01
(TV) Benoximate	0.01
(TV) Bixafen	0.01
Bromuconazole	0.01
BTS 27271 (métabolite de l'Amitraze)	0.01
Bupirimate	0.01
(TV) Butocarboxim sulfoxyde	0.01
(TV) Butylate	0.01
(TV) Carbendazime	0.01
Carbofuran	0.01
Carfentrazone-ethyl	0.01
Chlorantraniliprole	0.01
Chlordiméforme (CDF)	0.01
Chlorotoluron	0.01
(TV) Chlorpyrifos (-ethyl)	0.01
Cinérin I	0.01
Clefoxydim	0.01
Climbazole	0.01
Clomeprop	0.01
Clothianidin	0.01
Cyanofenphos	0.01
(TV) Cycloate	0.01
Cymoxanil	0.01
Cyprodinil	0.01
DEET Diethyltoluamide	0.01
Desmedipham	0.01
Diazinon	0.01
(TV) Dichlorimid	0.01
Diethofencarbe	0.01
Difénoxuron	0.01
(TV) Dimepiperate	0.01
Diméthomorphe	0.01
(TV) Diniconazole	0.01
Dinotéfur	0.01
(TV) Diphénylamine	0.01
(TV) Disulfoton sulfone	0.01
Diuron	0.01
Dodine	0.01
Epoxycanazole	0.01
Ethiofencarb-sulfoxyde	0.01
Ethofumesate	0.01
Etozazole	0.01
Fenamiphos	0.01
Fenamiphos-sulfoxyde	0.01
Fenbuconazole	0.01
Fenobucarb	0.01
Fenoxycarbe	0.01
(TV) Fenpropimorphe	0.01
Fensulfthion	0.01
Fenthion-oxone	0.01
Fention-PO-sulfon	0.01
Fipronil (total)	0.01
Flazasulfuron	0.01
(TV) Florasulam	0.01
Fluazifop-P-butyl	0.01
Fluazuron	0.01
Fludioxonil	0.01
Flufenzine	0.01
(TV) Flupyr	0.01
Flupyrasulfuron methyl sodium	0.01
Fluroxypyr-Méthylheptyl	0.01
Flusilazole	0.01
(TV) Flutriafol	0.01
(TV) Fomesafen	0.01
Fosthiazate	0.01
Furametpyre	0.01
Hepténophos	0.01
(TV) Hexythiazox	0.01
Imazamox	0.01
Imidaclopride	0.01
Iodosulfuron méthyle	0.01
Iprovalicarbe	0.01
Isoprocab	0.01
(TV) Isouron	0.01
Isoxaflutole (somme)	0.01
Jasmolin I	0.01
Lénacile	0.01
Malaoxon (dégradation Malathion)	0.01
(TV) Mandipropamide	0.01
Méfentrifluconazole	0.01
(TV) Mesosulfuron-méthyl	0.01
Métalaxyl	0.01
Metazachlor Métabolite 479M16	0.01
Métazachlore acide oxaniliq	0.01
Methamidophos	0.01
Methiocarb sulfone	0.01
(TV) Méthomyl	0.01
(TV) Métolachlore	0.01
Métoxuron	0.01
(TV) Milbectine (somme)	0.01

Substance	RL / LOQ [mg/kg]
(TV) Bensulide	0.01
Bentazone-6-hydroxy	0.05
(TV) Bifenazat	0.01
Boscalide	0.01
Bromuconazole (cis-Isomer)	0.01
BTS 44595	0.01
Buprofezine	0.01
Butoxycarboxim	0.01
(TV) Cadusaphos	0.01
(TV) Carbendazime (MBC) et benomyl	0.01
Carbofurane (Somme)	0.01
(TV) Carpropamide	0.01
Chlorbutam	0.01
(TV) Chlorfluazuron	0.01
Chloroxuron	0.01
(TV) Chlorpyrifos-méthyl	0.01
Cinérine II	0.01
(TV) Clethodim	0.01
Clofentézine	0.01
Cloprop	0.01
(TV) Coumaphos	0.01
Cyantraniliprole	0.01
(TV) Cycloxydime	0.01
Cyphenothrine	0.01
Cyromazine	0.01
Demeton-S-méthyl	0.01
Desthio-prothioconazole	0.01
Dicamba	0.01
Diclofop-méthyl	0.01
Difénamide	0.01
Diflubenzuron	0.01
Diméthachlor	0.01
(TV) Dimetilan	0.01
Dinocap	0.01
Dinoterb	0.02
(TV) Disulfoton	0.01
(TV) Disulfoton sulfoxyde	0.01
DNOC	0.01
(TV) Emamectine	0.01
EPTC	0.01
Ethiprol	0.01
(TV) Ethylchlozate	0.01
Famophos	0.01
Fenamiphos (Somme)	0.01
Fénarimol	0.01
Fenbutatin oxyde	0.05
(TV) Fenprop	0.01
Fenpiclonil	0.01
Fenpyrazamine	0.01
Fenthion	0.01
Fenthion-PO-sulfoxid	0.01
Fention-PS-sulfon	0.01
(TV) Fipronil sulfide	0.01
Fonicamid (total)	0.01
Fluazifop (somme)	0.01
(TV) Fluaziname	0.01
Flubendiamide	0.01
Flufenacet	0.01
Fluometuron	0.01
Fluoxastrobine	0.01
Fluroxypyr	0.01
(TV) Flurprimidol	0.01
(TV) Fluthiacet-méthyl	0.01
Fluxapyroxade	0.01
(TV) Forchlorfenuron	0.01
(TV) Fuberidazole	0.01
Furathiocarb	0.01
Hexaconazole	0.01
Hymexazol	0.05
Imazethapyr	0.01
(TV) Indaziflam	0.01
(TV) Ioxynil	0.01
Isazofos	0.01
(TV) Isoproturon	0.01
(TV) Isoxaben	0.01
Isoxaflutole-diketonitrile	0.01
Jasmoline II	0.01
Linuron	0.01
Malathion	0.01
Matrine	0.01
(TV) Mepanipyrim	0.01
Mésotrione	0.01
(TV) Métaldéhyde	0.01
Metazachlore (sum, incl. 479M04, 479M08, 479M16)	0.01
(TV) Metconazole (somme des isomères)	0.01
Méthidathion	0.01
Methiocarb Sulfoxyde	0.01
Methoxyfenoxyd	0.01
Metolcarb	0.01
(TV) Metrafenone	0.01
(TV) Milbemectin A3	0.01

Echantillon n°

968-2025-00093036

Liste des substances analysées

RL = Reporting Limit / LOQ: Limite de quantification

AA986 Screening Pesticides Quechers LC-MS/MS 0.01mg/kg

Substance	RL / LOQ [mg/kg]
(TV) Milbemectin A4	0.01
(TV) Monolinuron	0.01
Néburon	0.01
(TV) Nitenpyram	0.01
Nuarimol	0.01
(TV) Orysastrubine	0.01
Oxadixyl	0.01
(TV) Oxathiapiprolone	0.01
Oxycarboxine	0.01
Oxymatrine	0.02
Paraoxon-méthyl, Parathion-méthyl (Somme)	0.01
(TV) Penconazole	0.01
(TV) Penoxsulame	0.01
Phenméthiphame	0.01
Phorate sulfoxyde	0.01
Phosalone	0.01
Phosmet-oxon	0.01
(TV) Picaridin (Icaridin)	0.01
(TV) Pirimicarb, desmethyl-formamido-	0.01
(TV) Pirimiphos-méthyl	0.01
Procymidone	0.01
(TV) Propamocarbe (somme de propamocarb et ses sels)	0.01
(TV) Propargite	0.01
Propoxur	0.01
Propoxycarbazon	0.01
Prosulfocarbe	0.01
Prothioconazole (somme)	0.01
(TV) Pyraclostrobine	0.01
Pyrethrin I	0.01
(TV) Pyridabène	0.01
(TV) Pyriméthanol	0.01
Pyroxulam	0.01
(TV) Quinoxifen	0.01
Quizalofop-P-ethyl	0.01
Rimsulfuron	0.01
Simeconazole	0.01
Spinetoram	0.01
(TV) Spinosad	0.01
(TV) Spirodiclofen	0.01
Spirotetramate (somme)	0.01
Spirotetramat-ketohydroxy	0.01
Sulcotriane	0.01
Sulfotep	0.01
Sulprofos-sulfoxide	0.01
(TV) Tébufenpyrad	0.01
Temephos	0.01
(TV) Terbumeton	0.01
TFNG	0.01
Thiamethoxam	0.01
(TV) Thiobencarb	0.01
Thiofanox	0.05
Thiophanate-méthyl	0.01
Trialkoxydim	0.01
Triasulfuron	0.01
(TV) Tribenuron méthyl	0.01
Tricyclazole	0.01
(TV) Triflurumuron	0.01
Trimethacarb 3.4.5-	0.01
Tritosulfuron	0.01
Vamidothion-sulfone	0.01
(TV) Zoxamide	0.01

Substance	RL / LOQ [mg/kg]
(TV) Molinate	0.01
Monuron	0.01
Nicosulfuron	0.01
(TV) Novaluron	0.01
Ofurace	0.01
Oryzalin	0.01
Oxamyl	0.01
(TV) Oxaziclomefone	0.01
Oxydéméton méthyl	0.01
Paraoxon	0.01
Parathion-méthyl	0.01
Pencycuron	0.01
Penthiopyrade	0.01
Phorate	0.01
Phorate-O-analogue	0.01
Phosmet	0.01
(TV) Phosphamidon	0.01
Picloram	0.01
(TV) Pirimicarbe	0.01
Prochloraz	0.01
(TV) Promecarb	0.01
Propanile	0.01
Propame	0.01
Propoxycarbazon/Propoxycarbazon-2-hydroxy (Somme)	0.01
(TV) Propyzamide	0.01
(TV) Prosulfuron	0.01
Pymétroline	0.01
(TV) Pyraflufen-éthyl	0.01
Pyrethrin II	0.01
Pyridate	0.01
Pyrimidifen	0.01
Quinmerac	0.01
Quizalofop	0.01
Quizalofop-P-tefuryl	0.01
(TV) Rotenone	0.01
(TV) Simetryne	0.01
(TV) Spinetoram J	0.01
(TV) Spinosyne A	0.01
Spiromesifene	0.01
Spirotetramat-enol	0.01
Spirotetramat-monohydroxy	0.01
Sulfentazon	0.01
Sulfoxaflor	0.01
(TV) Tébuconazole	0.01
(TV) Teflubenzuron	0.01
Tepraloxym	0.01
(TV) Tetraconazole	0.01
(TV) Thiabendazole	0.01
Thiencarbazon-méthyl	0.01
thiocyclam	0.01
(TV) Thiofanox-Sulfone	0.01
(TV) Tolclofos-méthyl	0.01
Triadimefene	0.01
Triazophos	0.01
Trichlorfon	0.01
Tridemorph	0.01
(TV) Triflusaluron-méthyl	0.01
Trinexapac-Ethyle	0.01
(TV) Valifenalate	0.01
XMC (Macbal)	0.01

Substance	RL / LOQ [mg/kg]
(TV) Monocrotophos	0.01
(TV) Myclobutanil (somme des isomères)	0.01
Nicotine	0.05
Noviflumuron	0.01
Ométhoate	0.01
(TV) Oxadiargyl	0.01
Oxamyl-oxime	0.01
(TV) Oxfendazole	0.01
Oxydemeton-méthyl (Somme)	0.01
Paraoxon-méthyl	0.01
(TV) Pebulate	0.01
(TV) Pendiméthaline	0.01
Pethoxamide	0.01
Phorate (total)	0.01
Phorate-sulfone	0.02
Phosmet (Somme)	0.01
Phoxime	0.01
Pinoxaden	0.01
(TV) Pirimicarbe, Desmethyl-	0.01
Prochloraze (Prochloraze + Métabolites)	0.01
(TV) Prométone	0.01
Propaquizafop	0.01
(TV) Propiconazole (somme des isomères)	0.01
Propoxycarbazon-2-hydroxy	0.01
(TV) Proquinazid	0.01
Prothioconazole	0.02
Pyraclifos	0.01
Pyraclifotole	0.01
Pyréthrines (total)	0.01
Pyrifluquinazone	0.01
Pyriproxyfen	0.01
Quinoclamine	0.01
Quizalofop (Somme)	0.01
Resméthrine	0.01
(TV) Sethoxydim	0.01
(TV) Somme Metobromuron et 4-BromoPhenylurée	0.01
Spinetoram L	0.01
(TV) Spinosyne D	0.01
Spirotetramate	0.01
Spirotetramat-enolglucoside	0.01
Spiroxamine	0.01
(TV) Sulfosulfuron	0.01
(TV) Sulprofos	0.01
Tébufénoside	0.01
Tembotriane	0.01
Terbufos-sulfoxide	0.01
TFNA	0.05
Thiacloprid	0.01
Thifensulfuron méthyle	0.01
Thiodicarb	0.01
(TV) Thiofanox-Sulfoxid	0.01
(TV) Tolfenpyrad	0.01
Triadimenole	0.01
Triazoxide	0.01
(TV) Triclopyr	0.01
Trifloxystrobine	0.01
Triforine	0.01
Triphénylétain acétate (fentine acétate)	0.01
(TV) Vamidothion	0.01
(TV) Xylilcarb	0.01

1) La détermination a été sous-traitée à Eurofins Analytics France SAS, Eurofins Laboratoire Contaminants Alimentaires Nantes (FR), France

Informations sur l'accréditation

TV : Seuls les paramètres avec ce préfixe sont couverts par l'accréditation
COFRAC ESSAIS (portée sur www.cofrac.fr) 1-0287

Your customer service contract

nutrition@eurofinsfr.com
+332 72 25 62 70
Monday to Friday from 9H00-12H30 & 13H30-18H00
www.eurofins.com

Sample Code : 968-2025-00093036
Your order number : 968-2025-020165
Account Code : A00867178QWM
Sample Reception Date : 07/06/2025
Start date : 10/06/2025
End of analysis date : 12/06/2025
Reception temperature : Room Temperature

SOCIETE BLUE B TECHNOLOGIES

David BERTRANT
Moulin du Mizotier
45240 LIGNY LE RIBAUT
France

Copy Recipients : S. OUICHOU (SOCIETE BLUE B TECHNOLOGIES) ; A. LEVESQUE (SOCIETE BLUE B TECHNOLOGIES) ; C. REPAC (SOCIETE BLUE B TECHNOLOGIES)

Information provided by Customer

Customer Reference : LB01- Myrtille

Project name : ANALYSE MYRTILLE SCREENING PARCELLE B
LOT Number : AS27
Lot number : AS27
Shelf life : 04/07/2024

Brand wording : MYRILLE DE SOLOGNE

Declaration of Conformity

Chemistry

Guide Values

As judged by the results of the analyses performed, and in comparison with industry standards, scientific literature and values at our disposal :

The parameters measured and presented on this analytical report are in conformity with the guidelines of the product. [Regulation (EC) n°396/2005]

Comments related to the conclusion: Conclusion is not covered by accreditation.

The conclusion / declaration of conformity only takes into account the results of the parameters for which a criterion is published.

-For microbiology on food and Feed product, microbiology and chemistry on water product: To declare or not the conformity to the specification, the uncertainty associated with the result has not been explicitly taken into account.

-For chemistry on food and Feed product: To declare or not the conformity, the uncertainty associated with the result was added or subtracted in view to obtain, without contest, a result opposable to the specifications or the active regulation to give priority to customer risk. It has not been taken into account within the framework of the standards which already integrate the measurement uncertainties or on explicit request of the customer.

Test	Test Parameter [Method Source]	Results for
Sample Analytical Portion		
Pesticides		
AA36K	Pesticide-Screening Quechers GC-MS/MS [Internal method, GC-MS/MS]	
	Analysed Substance(s) ⁽¹⁾	< LOQ
AA986	Pesticide-Screening Quechers LC-MS/MS 0.01mg/kg [Internal method, LC-MS/MS]	
	Analysed Substance(s) ⁽¹⁾	< LOQ


Explanatory Notes

(1) The determination has been outsourced to Eurofins Laboratoire Contaminants Alimentaires Nantes (FR), France

Pour les analyses de résidus de pesticides, si le laboratoire n'est pas en mesure d'analyser la somme complète des composés inclus dans la définition Européenne du résidu, la somme n'est pas présente sur le rapport. Dans ce cas, seules les molécules analysées figurent sur le rapport.

This document can only be reproduced in full ; it only concerns the submitted sample.
Results have been obtained and reported in accordance with our general sales conditions available on request.
The tests are identified by a five-digit code, their description is available on request.
The laboratory cannot be responsible for information coming from customers that could affect the reliability of the results.
In case the laboratory is not in charge of the sampling step, the results apply to the sample as received or supported.

Nantes, 12/06/2025



Nicole Urrea +33 (0)251825546

Sample Code

968-2025-00093036

List of analysed substances

RL = Reporting Limit / LOQ: Limit of quantification

AA36K Pesticide-Screening Quechers GC-MS/MS

Substance	RL / LOQ [mg/kg]
1,4-dimethylnaphthalene	0.01
(TV) Acetochlor	0.01
(TV) Alachlor	0.01
Allethrin	0.02
Atrazin, desethyl-	0.01
(TV) Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0.01
Biphenyl	0.01
Butafenacil	0.01
Captan/THPI (Sum calculated as Captan)	0.01
Chlordane, cis-	0.01
(TV) Chlorfenvinphos	0.01
Chlorpyrifos (-ethyl)	0.01
Chlozolinate	0.01
Cloquintocet-mexyl	0.01
(TV) Cyflufenamid	0.01
Cypermethrin (sum of isomers)	0.01
DDD, p,p'-	0.01
DDT (total)	0.01
Deltamethrin	0.01
Dibromobenzophenone, p,p-	0.01
Dichlorvos	0.01
Dicofol (sum)	0.01
Dieldrin	0.01
Dimethylaminosulphotoluide (DMST)	0.01
Endosulfan sulphate	0.01
(TV) Etaconazole	0.01
Ethoprophos	0.01
Etridiazole	0.01
(TV) Fenamidone	0.01
Fenthion	0.01
Fenvalerate (RS-/SR-Isomers)	0.01
Fipronil-sulfone	0.01
Flucythrinate	0.01
Fluquinconazole	0.01
Flutriaol	0.01
Folpet/PI (Sum calculated as Folpet)	0.02
HCH, alpha-	0.01
HCH, epsilon-	0.01
Heptachlor epoxide, cis-	0.01
(TV) Hexazinone	0.01
(TV) Isofenphos	0.01
(TV) Isoxadifen-ethyl	0.01
(TV) Mecarbam	0.01
Mepronil	0.01
Methoxychlor	0.01
Mevinphos	0.01
Nitrofen	0.01
(TV) Oxadiazon	0.01
Parathion	0.01
Pentachloroanisole	0.01
Phorate	0.01
(TV) Picolinafen	0.01
Pirimiphos-methyl	0.01
Prometryn	0.01
Propetamphos	0.01
Pyrazophos	0.01
Pyrifeno	0.01
Quintozene (sum)	0.01
(TV) Sebuthyllazine	0.01
Simazine	0.01
Tefluthrin	0.01
(TV) Terbutylazine	0.01
Tetrachlorvinphos	0.01
Tetramethrin	0.01
Tolyfluaniid (Sum)	0.02
Triazamate	0.01
Triticonazole	0.01

Substance	RL / LOQ [mg/kg]
2,6-Dichlorobenzamide	0.01
Aclonifen	0.01
Aldrin	0.01
Ametryn	0.01
(TV) Atrazine	0.01
Benfluralin	0.01
(TV) Bromopropylate	0.01
Butralin	0.01
Carbophenothion	0.01
Chlordane, trans-	0.01
Chlorobenzilate/Chloropropylate	0.01
Chlorpyrifos-methyl	0.01
Clodinafop-propargyl	0.1
Cyanazine	0.01
Cyfluthrin	0.01
Cypermethrin, alpha-	0.01
DDE, o,p'-	0.01
DDT, o,p'-	0.01
Desmethrin	0.01
Dichlobenil	0.01
Diclobutrazol	0.01
Dicofol, o,p'-	0.01
(TV) Diflufenican	0.01
Edifenphos	0.01
Endosulfan, alpha-	0.01
Ethalfuralin	0.01
Ethoxyquin	0.01
Etrinfos	0.01
Fenitrothion	0.01
Fenvalerate (all isomers including Esfenvalerate)	0.01
Fipronil	0.01
Flamprop-methyl	0.01
Flumioxazin	0.01
Flurochloridone	0.01
Fluvalinate (sum of isomers)	0.01
Fonofos	0.01
HCH, beta-	0.01
Heptachlor	0.01
Heptachlor epoxide, trans-	0.01
Iprobenfos	0.01
(TV) Isofenphos-methyl	0.01
Lenacil	0.01
Mefenpyr-diethyl	0.01
(TV) Metazachlor	0.01
(TV) Metrafenone	0.01
(TV) Napropamide	0.01
Nitrothiol-isopropyl	0.01
Oxyfluorfen	0.01
Parathion-methyl	0.01
Permethrin (sum of isomers)	0.01
Phosphamidon	0.01
Picoxystrobin	0.01
(TV) Procymidone	0.01
Propachlor	0.01
Propyzamide	0.01
Pyridalyl	0.01
Quinalphos	0.01
Quizalofop-P-ethyl	0.1
Silafluofen	0.01
Spiromesifen	0.01
Terbacil	0.01
(TV) Terbutylazine, desethyl-	0.01
(TV) Tetradifon	0.01
Thiometon	0.01
Transfluthrin	0.01
(TV) Triflumizole	0.01
Uniconazole	0.01

Substance	RL / LOQ [mg/kg]
2-Phenylphenol	0.01
Acrinathrin	0.01
Aldrin/ Dieldrin (Sum)	0.01
Anthraquinone	0.01
Azinphos-ethyl	0.01
(TV) Bifenthrin	0.01
(TV) Butachlor	0.01
Captan	0.05
Chlordane (total)	0.01
(TV) Chlorfenapyr	0.01
Chlorothalonil	0.1
Chlorthal-dimethyl	0.01
Clomazone	0.01
Cyanophos	0.01
Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)	0.01
DDD, o,p'-	0.01
DDE, p,p'-	0.01
DDT, p,p'-	0.01
Diazinon	0.01
Dichlofluanid	0.1
Dicloran	0.01
Dicofol, p,p-	0.01
(TV) Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)	0.01
Endosulfan (total)	0.01
Endosulfan, beta-	0.01
(TV) Ethion	0.01
(TV) Etoxazole	0.01
Famoxadone	0.01
Fenpropathrin	0.01
Fenvalerate (RR-/SS-Isomers)	0.01
Fipronil (sum)	0.01
Fluazifop-P-butyl	0.01
Fluotrimazole	0.01
Flutolanil	0.01
Folpet	0.02
Formothion	0.01
HCH, delta-	0.01
Heptachlor (sum)	0.01
Hexachlorobenzene (HCB)	0.01
Isocarbofos	0.01
Isoprothiolane	0.01
Lindane (gamma-HCH)	0.01
Mepanipyrim	0.01
Methacrifos	0.01
Metribuzin	0.01
Nitrapyrin	0.01
Norflurazon	0.01
Paclobutrazol	0.01
Pentachloroaniline	0.01
Phenthoate	0.01
Phthalimide (PI)	0.01
Pirimiphos-ethyl	0.01
Profenofos	0.01
(TV) Propazine	0.01
Prothiofos	0.01
Pyridaphenthion	0.01
Quintozene	0.01
S 421	0.01
Silthiofam	0.01
Tecnazene	0.01
Terbufos	0.01
Terbutryn	0.01
Tetrahydrophthalimide (THPI)	0.01
Tolyfluaniid	0.02
Triallate	0.01
Trifluralin	0.01
Vinclozolin	0.01

AA986 Pesticide-Screening Quechers LC-MS/MS 0.01mg/kg

Substance	RL / LOQ [mg/kg]
1-Naphthylacetamide	0.01
2,4,5-T	0.01
2,4'-Formoxylidid (Amitraz Metabolite)	0.01
3-Hydroxycarbofuran	0.01
4-CPA	0.01
Abamectin (Sum)	0.01
Acetamiprid	0.01
(TV) Acrinathrin	0.01
Aldicarb-sulfone	0.01
Aminocarb	0.01
Amitraz (sum)	0.01
Atrazin, desisopropyl-	0.01
Avermectin B1b	0.01
Azamephipos	0.01
Azoxystrobin	0.01

Substance	RL / LOQ [mg/kg]
1-Naphthylacetamide/1-Naphthylacetic acid (cal. as 1-Naphthylacetic acid)	0.01
(TV) 2,4-D	0.01
(TV) 2,6-Dichlorobenzamide	0.01
(TV) 4-Bromo-2-Chlorophenol	0.01
(TV) 6-Benzyladenine	0.01
Acephate	0.05
Acibenzolar-s-methyl	0.01
Alanycarb	0.05
(TV) Ametoctradin	0.01
Amisulbrom	0.01
Anilofos	0.01
Atrazine	0.01
Azaconazole	0.01
Azinphos-methyl	0.01
(TV) Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0.01

Substance	RL / LOQ [mg/kg]
1-Naphthylacetic acid	0.01
2,4-DB	0.01
2-Naphthylhydroxyacetic acid	0.01
(TV) 4-bromophenylurea	0.01
8-Hydroxyquinoline	0.02
Acequinocyl	0.05
(TV) Acifluorfen	0.01
Aldicarb	0.01
(TV) Amidosulfuron	0.01
Amitraz	0.01
Asulam	0.01
Avermectin B1a	0.01
Azadirachtin	0.1
Azocyclotin	0.01
Bendiocarb	0.01

Sample Code

968-2025-00093036

List of analysed substances

RL = Reporting Limit / LOQ: Limit of quantification

AA986 Pesticide-Screening Quechers LC-MS/MS 0.01mg/kg

Substance	RL / LOQ [mg/kg]
Benfuracarb	0.05
(TV) Bensulide	0.01
Bentazone-6-hydroxy	0.05
(TV) Benzoximate	0.01
(TV) Bixafen	0.01
Bromuconazole	0.01
BTS 27271	0.01
Bupirimate	0.01
(TV) Butocarboxim-sulfoxide	0.01
(TV) Cadusafos	0.01
(TV) Carbendazim/Benomyl (sum)	0.01
Carbofuran (sum)	0.01
(TV) Carpropamid	0.01
Chlorbufam	0.01
(TV) Chlorfluaazuron	0.01
Chloroxuron	0.01
(TV) Chlorpyrifos-methyl	0.01
Cinérin II	0.01
(TV) Clethodim	0.01
Clofentezine	0.01
Cloprop	0.01
(TV) Coumaphos	0.01
Cyantraniliprole	0.01
(TV) Cycloxydim	0.01
Cyphenothrin	0.01
Cyromazine	0.01
Demeton-S-methyl-sulfone	0.01
Diazinon	0.01
(TV) Dichlormid	0.01
Diclotophos	0.01
Difenoconazole	0.01
Dimefuron	0.01
Dimethoate	0.01
Dimoxystrobin	0.01
(TV) Dinoseb	0.01
Dioxacarb	0.01
(TV) Disulfoton	0.01
(TV) Disulfoton-sulfoxide	0.01
DNOC	0.01
(TV) Eamectin	0.01
EPTC	0.01
Ethiprole	0.01
(TV) Ethychlozate	0.01
Famophos	0.01
Fenamiphos (sum)	0.01
Fenarimol	0.01
Fenbutatin oxide	0.05
(TV) Fenoprop	0.01
Fenpiclonil	0.01
Fenpyrazamine	0.01
Fenthion	0.01
Fenthion-oxon-sulfone	0.01
Fenthion-sulfoxide	0.01
Fipronil (sum)	0.01
Flazasulfuron	0.01
(TV) Florasulam	0.01
Fluazifop-P-butyl	0.01
Fluazuron	0.01
Fludioxonil	0.01
Flufenazine	0.01
(TV) Fluopyram	0.01
Flupyr-sulfuron-Methyl	0.01
Fluroxypyr-Methylheptyl	0.01
Flusilazole	0.01
(TV) Flutriafol	0.01
(TV) Fomesafen	0.01
Fosthiatate	0.01
Furametpyr	0.01
Heptenophos	0.01
(TV) Hexythiazox (any ratio of constituent isomers)	0.01
Imazalil (any ratio of constituent isomers)	0.01
(TV) Imibenconazole	0.01
Indoxacarb (sum, R+S isomers)	0.01
Iprodione	0.01
Isofetamid	0.01
Isoprazam	0.01
Isoxaflutole	0.01
Isoxathion	0.01
(TV) Kresoxim-methyl	0.01
(TV) Lufenuron	0.01
Malathion/Malaoxon (sum)	0.01
MCPA	0.01
(TV) Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0.01
Meptyldinocap	0.01
(TV) Metaflumizone (sum of E- and Z- isomers)	0.01
Metamitron	0.01

Substance	RL / LOQ [mg/kg]
(TV) Benodanil	0.01
Bentazone	0.01
Bentazone-8-hydroxy	0.03
(TV) Bifenazate	0.01
Boscalid	0.01
Bromuconazole, cis-	0.01
BTS 44595	0.01
Buprofezin	0.01
Butoxycarboxim	0.01
Carbaryl	0.01
(TV) Carbetamide	0.01
Carboxin	0.01
Chlorantraniliprole	0.01
Chlordecon	0.01
(TV) Chloridazon	0.01
Chlorpropham	0.01
Chromafenozide	0.01
Cinidon-ethyl	0.01
(TV) Clethodim/Sethoxydim (Sum)	0.01
Clomazone	0.01
Clopyralid	0.02
(TV) Crimidine	0.01
Cyazofamid	0.01
(TV) Cyflufenamid	0.01
(TV) Cyproconazole	0.01
Dazomet	0.01
Desmedipham	0.01
Dicamba	0.01
Dichlorprop	0.01
Diethofencarb	0.01
Difenoconazole	0.01
(TV) Dimepiperate	0.01
Dimethomorph (sum of isomers)	0.01
(TV) Diniconazole	0.01
Dinotefuran	0.01
Diphenamid	0.01
(TV) Disulfoton (sum)	0.01
Dithianon	0.01
(TV) Dodemorph	0.01
EPN	0.01
Ethiofencarb	0.01
Ethirimol	0.01
Etofenprox	0.01
Fenamidone	0.01
Fenamiphos-sulfone	0.01
(TV) Fenazaquin	0.01
Fenhexamid	0.01
(TV) Fenoxaprop-P	0.01
(TV) Fenpropidin	0.01
Fenpyroximate	0.01
Fenthion (sum)	0.01
Fenthion-oxon-sulfoxide	0.01
Fentin acetate	0.01
(TV) Fipronil-sulfide	0.01
Flonicamid	0.01
Fluazifop (Sum)	0.01
(TV) Fluazinam	0.01
Flubendiamide	0.01
Flufenacet	0.01
Fluometuron	0.01
Fluoxastrobin	0.01
Fluroxypyr	0.01
(TV) Flurprimidol	0.01
(TV) Fluthiacet-methyl	0.01
Fluxapyroxad	0.01
(TV) Forchlorfenuron	0.01
(TV) Fuberidazole	0.01
Furathiocarb	0.01
Hexaconazole	0.01
Hymexazol	0.05
Imazamox	0.01
Imidacloprid	0.01
Iodosulfuron methyl	0.01
Iprovalicarb	0.01
Isoprocacarb	0.01
(TV) Isouron	0.01
Isoxaflutole (sum)	0.01
Jasmolin I	0.01
Lenacil	0.01
Malaoxon	0.01
(TV) Mandipropamid (any ratio of constituent isomers)	0.01
MCPA/MCPB (sum)	0.01
Mefentrifluconazole	0.01
(TV) Mesosulfuron-methyl	0.01
Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0.01
Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0.01

Substance	RL / LOQ [mg/kg]
Benoxacor	0.01
Bentazone (total, after hydrolysis)	0.01
Benthiavalicarb, isopropyl-	0.01
(TV) Biteranol	0.01
(TV) Bromoxynil	0.01
Bromuconazole, trans-	0.01
BTS 44596	0.01
Butocarboxim	0.01
(TV) Butylate	0.01
(TV) Carbendazim	0.01
Carbofuran	0.01
Carfentrazone-ethyl	0.01
Chlorbromuron	0.01
Chlorimeform	0.01
Chlorotoluron	0.01
(TV) Chlorpyrifos (-ethyl)	0.01
Cinérin I	0.01
Clefoxydim	0.01
Climbazole	0.01
Clomeprop	0.01
Clothianidin	0.01
Cyanofenphos	0.01
(TV) Cycloate	0.01
Cymoxanil	0.01
Cyprodinil	0.01
Demeton-S-methyl	0.01
(TV) Diallate	0.01
Dichlofenthion	0.01
Dichlofop-methyl	0.01
Diethyltoluamide	0.01
Diffenbuzuron	0.01
Dimethachlor	0.01
(TV) Dimetilan	0.01
Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0.01
Dinoterb	0.02
(TV) Diphenylamine	0.01
(TV) Disulfoton-sulfon	0.01
Diuron	0.01
Dodine	0.01
Epoxiconazole	0.01
Ethiofencarb-sulfoxide	0.01
Ethofumesate	0.01
Etoazole	0.01
Fenamiphos	0.01
Fenamiphos-sulfoxide	0.01
Fenbuconazole (sum of constituent enantiomers)	0.01
Fenobucarb	0.01
Fenoxycarb	0.01
(TV) Fenpropimorph	0.01
Fensulfthion	0.01
Fenthion-oxon	0.01
Fenthion-sulfone	0.01
Fipronil	0.01
Fipronil-sulfone	0.01
Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0.01
Fluazifop-P	0.01
(TV) Fluazolate	0.01
Flucycloxuron	0.01
Flufenoxuron	0.01
Fluopicolide	0.01
Flupyradifurone	0.01
Fluroxypyr (Sum)	0.01
Flurtamone	0.01
Flutolanil	0.01
(TV) FM-6-1 (metabolite triflumizole)	0.01
Formetanate	0.01
(TV) Furalaxyl	0.01
(TV) Haloxypfop	0.01
(TV) Hexaflumuron	0.01
(TV) Icaridin	0.01
Imazethapyr	0.01
(TV) Indaziflam	0.01
(TV) Ioxynil (sum of ioxynil and its salts, expressed as ioxynil)	0.01
Isazofos	0.01
(TV) Isoproturon	0.01
(TV) Isoxaben	0.01
Isoxaflutole-diketetonitrile	0.01
Jasmolin II	0.01
Linuron	0.01
Malathion	0.01
Matrine	0.01
MCPB	0.01
(TV) Mepanipyrim	0.01
Mesotrione	0.01
(TV) Metaldehyde	0.01
Metazachlor ethanesulfonic acid	0.01

Sample Code

968-2025-00093036

List of analysed substances

RL = Reporting Limit / LOQ: Limit of quantification

AA986 Pesticide-Screening Quechers LC-MS/MS 0.01mg/kg

Substance	RL / LOQ [mg/kg]	Substance	RL / LOQ [mg/kg]	Substance	RL / LOQ [mg/kg]
Metazachlor Metabolite 479M16	0.01	Metazachlor oxanilic acid	0.01	(TV) Metconazole (sum of isomers)	0.01
(TV) Methabenzthiazuron	0.01	Methamidophos	0.01	Methidathion	0.01
Methiocarb	0.01	Methiocarb (sum)	0.01	Methiocarb-sulfone	0.01
Methiocarb-sulfoxide	0.01	(TV) Methomyl	0.01	Methoxyfenozide	0.01
(TV) Metobromuron	0.01	(TV) Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0.01	Metolcarb	0.01
(TV) Metosulam	0.01	Metoxuron	0.01	(TV) Metrafenone	0.01
(TV) Metsulfuron-methyl	0.01	(TV) Milbectin (sum)	0.01	(TV) Milbemectin A3	0.01
(TV) Milbemectin A4	0.01	(TV) Molinate	0.01	(TV) Monocrotophos	0.01
(TV) Monolinuron	0.01	Monuron	0.01	(TV) Myclobutanil (sum of constituent isomers)	0.01
Neburon	0.01	Nicosulfuron	0.01	Nicotine	0.05
(TV) Nitenpyram	0.01	(TV) Novaluron	0.01	Noviflumuron	0.01
Nuarimol	0.01	Ofurace	0.01	Omethoate	0.01
(TV) Oryzastobin	0.01	Oryzalin	0.01	(TV) Oxadiargyl	0.01
Oxadixyl	0.01	Oxamyl	0.01	Oxamyl-oxime	0.01
(TV) Oxathiapiprolin	0.01	(TV) Oxaziclomefone	0.01	(TV) Oxfendazole	0.01
Oxycarboxin	0.01	Oxydemeton-methyl	0.01	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.01
Oxymatrine	0.02	Paraaxon-ethyl	0.01	Paraaxon-methyl	0.01
Parathion-methyl	0.01	Parathion-methyl/Paraaxon-methyl (sum)	0.01	(TV) Pebulate	0.01
(TV) Penconazole (sum of constituent isomers)	0.01	Pencycuron	0.01	(TV) Pendimethalin	0.01
(TV) Penoxsulam	0.01	Penthiopyrad	0.01	Pethoxamid	0.01
Phenmedipham	0.01	Phorate	0.01	Phorate (sum)	0.01
Phorate-O-analogue	0.01	Phorate-sulfone	0.02	Phorate-sulfoxide	0.01
Phosalone	0.01	Phosmet	0.01	Phosmet (Sum)	0.01
Phosmet-oxon	0.01	(TV) Phosphamidon	0.01	Phoxim	0.01
Picloram	0.01	Pinoxaden	0.01	(TV) Piperonyl butoxide	0.01
(TV) Pirimicarb	0.01	(TV) Pirimicarb, desmethyl-	0.01	(TV) Pirimicarb, desmethyl-formamido-	0.01
(TV) Pirimiphos-methyl	0.01	Prochloraz	0.01	Prochloraz (sum of prochloraz, BTS 44595 (M201-04) and BTS 44596 (M201-03), expressed as prochloraz)	0.01
Procymidone	0.01	(TV) Promecarb	0.01	(TV) Prometon	0.01
(TV) Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	0.01	Propanil	0.01	Propaquizafop	0.01
(TV) Propargite	0.01	Propham	0.01	(TV) Propiconazole (sum of isomers)	0.01
Propoxur	0.01	Propoxycarbazon/Propoxycarbazon-2-hydroxy (Sum)	0.01	Propoxycarbazon-2-hydroxy	0.01
Propoxycarbazon	0.01	(TV) Propyzamide	0.01	(TV) Proquinazid	0.01
Prosulfocarb	0.01	(TV) Prosulfuron	0.01	Prothioconazole	0.02
Prothioconazole (sum)	0.01	Prothioconazole-desthio	0.01	Pymetrozine	0.01
Pyraclofos	0.01	(TV) Pyraclostrobin	0.01	(TV) Pyraflufen-ethyl	0.01
Pyrasulfotole	0.01	Pyrethrin I	0.01	Pyrethrin II	0.01
Pyrethrins	0.01	(TV) Pyridaben	0.01	Pyridate	0.01
Pyrifluquinazon	0.01	(TV) Pyrimethanil	0.01	Pyrimidifen	0.01
Pyriproxyfen	0.01	Pyroxulam	0.01	Quinmerac	0.01
Quinoclamine	0.01	(TV) Quinoxifen	0.01	Quizalofop	0.01
Quizalofop (Sum)	0.01	Quizalofop-P-ethyl	0.01	Quizalofop-P-tefuryl	0.01
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.01	Rimsulfuron	0.01	(TV) Rotenone	0.01
(TV) Sethoxydim	0.01	Simeconazole	0.01	(TV) Simetryn	0.01
Spinetoram (sum)	0.01	(TV) Spinetoram J	0.01	Spinetoram L	0.01
(TV) Spinosad (sum)	0.01	(TV) Spinosyn A	0.01	(TV) Spinosyn D	0.01
(TV) Spirodiclofen	0.01	Spiromesifen	0.01	Spirotetramat	0.01
Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat	0.01	Spirotetramat-enol	0.01	Spirotetramat-enolglucoside	0.01
Spirotetramat-ketohydroxy	0.01	Spirotetramat-monohydroxy	0.01	Spiroxamine	0.01
Sulcotriene	0.01	Sulfentrazone	0.01	(TV) Sulfosulfuron	0.01
Sulfotep	0.01	Sulfoxafior	0.01	(TV) Sulprofos	0.01
Sulprofos-sulfoxide	0.01	(TV) Sum of metobromuron and 4-bromophenylurea, expressed as metobromuron	0.01	(TV) Tebuconazole	0.01
Tebufenozide	0.01	(TV) Tebufenpyrad	0.01	(TV) Teflubenzuron	0.01
Tembotrione	0.01	Temphos	0.01	Tepraloxym	0.01
Terbufos-sulfoxide	0.01	(TV) Terbumeton	0.01	(TV) Tetraconazole	0.01
TFNA	0.05	TFNG	0.01	(TV) Thiabendazole	0.01
Thiacloprid	0.01	Thiamethoxam	0.01	Thiencarbazon-methyl	0.01
Thifensulfuron methyl	0.01	(TV) Thiobencarb	0.01	Thiocyclam	0.01
Thiodicarb	0.01	Thiofanox	0.05	(TV) Thiofanox-sulfone	0.01
(TV) Thiofanox-sulfoxide	0.01	Thiophanate-methyl	0.01	(TV) Tolclofos-methyl	0.01
(TV) Tolfenpyrad	0.01	Tralkoxydim	0.01	Triadimefon	0.01
Triadimenol (any ratio of constituent isomers)	0.01	Triasulfuron	0.01	Triazophos	0.01
Triazoxide	0.01	(TV) Tribenuron-methyl	0.01	Trichlorfon	0.01
(TV) Triclopyr	0.01	Tricyclazole	0.01	Tridemorph	0.01
Trifloxystrobin	0.01	(TV) Triflumuron	0.01	(TV) Triflusaluron-methyl	0.01
Triforine	0.01	Trimethacarb, 3,4,5-	0.01	Trinexapac-ethyl	0.01
Tritosulfuron	0.01	(TV) Valifenalate	0.01	(TV) Vamidothion	0.01
Vamidothion-sulfone	0.01	XMC	0.01	(TV) Xylitylcarb	0.01
(TV) Zoxamide	0.01				

1) The determination has been outsourced to Eurofins Analytics France SAS, Eurofins Laboratoire Contaminants Alimentaires Nantes (FR), France

Recognition Information

TV : Only parameters with this prefix are covered by the recognition COFRAC TESTING (scope on www.cofrac.fr) 1-0287